



BARCELONA 900



STANDARD COLORS

DESERT SPICE BLEND
1HBCS8313



Stock

BARBADOS BLEND
1HBCS6423



Made to Order

GOLD DUST BLEND
1HBCS7205



Stock

CASA GRANDE BLEND
1HBCS6144



Stock
CRRC 0942-0014 / Ref.: 23 / Emit.: 91 / SRI: 23 / Aged SRI: 24

AVALON BEACH BLEND
1HBCS6259



Made to Order

NAPLES BLEND
1HBCS3490



Made to Order

BARCELONA 900

STANDARD COLORS

PARADISE ISLAND TAN
1HBSC0084



Made to Order

NEW SOUTHERN BLEND
1HBSC0100



Stock

STERLING
1HBSC5759



Made to Order
CRRC ID: 0942-0194 / Ref.:21 / Emit.:92 / SRI: 21

KHAKI BLEND
1HBSC0140



Stock

FLORIDA BLEND
1HBSC3903



Stock

CANYON DUSK BLEND
1HBSC0025



Made to Order

CHESTNUT BURNT
1HBSC3242



Stock

ESPRESSO BLEND
1HBSC3260



Stock

BUCKSKIN
1HBSC0141



Made to Order
CRRC 0942-0009 / Ref.:22 / Emit.:90 / SRI:22 / Aged SRI:24

STANDARD COLORS

STONE MOUNTAIN BLEND
1HBSC5354



Made to Order
CRRC 0942-0047 / Ref.:17 / Emit.:90 / SRI:15 Aged SRI: 23

SLATE Black Antique
1HBSC5202



Stock

*Color Coat products are available in Florida only.



BARCELONA 900 | Chestnut Burnt



VILLA 900



VILLA 900 | Casa Grande Blend

STANDARD COLORS

ARIZONA CLAY BLEND
1MPCS7049



Made to Order

CASA GRANDE BLEND
1MPCS6144



Made to Order

CRRC 0942-0014 / Ref.:23 / Emit.:91 / SRI:23 / Aged SRI:24

STERLING
1MPCS5759



Stock

CRRC 0942-0194 / Ref.:21 / Emit.:92 / SRI: 21



ESTATE



ESTATE | Canyon Clay

STANDARD COLORS

COCONUT

White Antique

1GOC50307BU



Made to Order

DESERT TAN

White Antique

1GOC50312BU



Made to Order


CANYON CLAY

No Antique

1GOC56201NN



Made to Order



SAXONY® 900 Slate

\$123.25/sq



SAXONY 900 Slate | Sterling

STANDARD COLORS

FLORIDA BLEND
1FMCS3903



Stock LAKE WALES PROFILE

CAFE SAND BLEND
1FMCS3360



Made to Order LAKE WALES PROFILE

WEATHERED ASH
1FMCS5416



Stock LAKE WALES PROFILE

SEDONA
1FMCS7143



Stock LAKE WALES PROFILE

BUCKSKIN
1FMCS0141



Made to Order LAKE WALES PROFILE
CRRC 0942-0009 / Ref.:22 / Emit.:90 / SRI:22 / Aged SRI:24

STERLING
1FMCS57590



Stock OKEECHOBEE PROFILE
CRRC 0942-0194 / Ref.:21 / Emit.:92 / SRI:21

CHESTNUT BURNT
1FMCS32420



Stock OKEECHOBEE PROFILE

ESPRESSO BLEND
1FMCS32600



Stock OKEECHOBEE PROFILE

STONE MOUNTAIN BLEND
1FMCS53540



Stock OKEECHOBEE PROFILE
CRRC 0942-0047 / Ref.:17 / Emit.:90 / SRI:15 / Aged SRI:23

SAXONY® 900 Slate

STANDARD COLORS

SLATE

Black Antique

1FMCS5161AA



Made to Order

OKEECHOBEE PROFILE

DARK CHARCOAL BLEND

1FMCS11350



Stock

OKEECHOBEE PROFILE



*COLOR COAT products are available in Florida only.

The printed colors shown in this brochure may vary from actual available tile colors. Always use actual product samples for color selection.

SAXONY 900 Slate | Mottled White Blend



SAXONY® 900 Split Slate



SAXONY 900 Split Slate | Slate - Black Antique

STANDARD COLORS

COCONUT

White Antique

1FCCS0307BU



Made to Order

TAUPE

Black Antique

1FCCS5164AA



Made to Order

NATURAL GRAY

White Antique

1FCCS5159BU



Made to Order

CEDAR TAN

Black & Brown Antique

1FCCS0308CD



Made to Order

LIGNITE

Black Antique

1FCCS3442AA



Made to Order

CANYON CLAY

Black Antique

1FCCS6201AA



Made to Order

SLATE

Black Antique


































1FCCS5161AA



Made to Order

Specifications

Finishing Touches

BARCELONA 900	Size	Height	Coverage	Installed Weight / Square		Pieces / Pallet	Squares / Pallet	Weight / Pallet	Approvals	Capri Trim	Barrel	Capri Hip Starter					
	17" x 13"	3-5/8"	At 3" minimum headlap, 85 field tiles will cover approx. 100 square feet of roof area.	Approx: 950 lbs.		256	3.01	Approx: 2,782 lbs.		 17" x 10" 1CTCS/1CTSS/1CTBS	 17" x 10" 1GRCS	 16" x 9-3/8" 1CHCS/1CHSS/1CHBS					
VILLA 900	Size	Height	Coverage	Installed Weight / Square		Pieces / Pallet	Squares / Pallet	Weight / Pallet	Approvals	Capri Trim	Barrel	Capri Hip Starter					
	17" x 13"	2-3/16"	At 3" minimum headlap, 85 field tiles will cover approx. 100 square feet of roof area.	Approx: 920 lbs.		296	3.48	Approx: 3,498 lbs.		 17" x 10" 1CTCS/1CTSS/1CTBS	 17" x 10" 1GRCS	 16" x 9-3/8" 1CHCS/1CHSS/1CHBS					
ESTATE	Size	Height	Coverage	Installed Weight / Square		Pieces / Pallet	Squares / Pallet	Weight / Pallet	Approvals	Barrel	Rake						
	16.5" x 13"	2-3/8"	At 3" minimum headlap, 91 field tiles will cover approx. 100 square feet of roof area.	Approx: 828 lbs.		240	2.63	Approx: 2,560 lbs.		 17" x 10" 1GRCS	 17" x 8" 1GUCS						
SAXONY® 900 SLATE	Size	Height	Coverage	Installed Weight / Square		Pieces / Pallet		Squares / Pallet		Weight / Pallet		Approvals	90 Rake	Rake	3-Sided Ridge	V-Ridge	3-Sided Hip Starter
				Okeechobee	Lake Wales	Okeechobee	Lake Wales	Okeechobee	Lake Wales	Okeechobee	Lake Wales						
	17" x 13"	1-5/32"	At 3" minimum headlap, 85 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,073 lbs.	Approx: 950 lbs.	210	288	2.47	3.39	Approx: 2,566 lbs.	Approx: 3,490 lbs.		 17" x 6-1/4" 1R9CS/1R9BS	 17" x 8" 1GUCS	 17" x 10-1/2" 1R3CS	 17" x 10" 1GVCS	 16" x 10-3/4" 1FHCS
SAXONY® 900 SPLIT SLATE	Size	Height	Coverage	Installed Weight / Square		Pieces / Pallet	Squares / Pallet	Weight / Pallet	Approvals	90 Rake	Rake	3-Sided Ridge	V-Ridge	3-Sided Hip Starter			
	17" x 13"	1-5/32"	At 3" minimum headlap, 85 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,073 lbs.		210	2.47	Approx: 2,566 lbs.		 17" x 6-1/4" 1R9CS	 17" x 8" 1GUCS	 17" x 10-1/2" 1R3CS	 17" x 10" 1GVCS	 16" x 10-3/4" 1FHCS			
MADERA 900	Size	Height	Coverage	Installed Weight / Square		Pieces / Pallet	Squares / Pallet	Weight / Pallet	Approvals	90 Rake	V-Ridge	Tapered Eave Starter					
	13-1/2" x 13"	7/8"	At 3-1/2" minimum headlap, 120 field tiles will cover approx. 100 square feet of roof area.	Approx: 950 lbs.		360	3	Approx: 3,010 lbs.		 14-1/4" x 9" 19CCL	 14-1/4" x 12-3/4" 1VCL	 13" x 13" 1CECL					

Suggested Eave Metal Colors

BARCELONA 900	
Avalon Beach Blend	Terra Cotta (alt. Tan)
Barbados Blend	Terra Cotta (alt. Tan)
Buckskin	Brown (alt. Tan)
Burnt Mission	Terra Cotta
Canyon Dusk Blend	Tan
Casa Grande Blend	Terra Cotta
Chestnut Burnt	Brown
Desert Spice Blend	Terra Cotta
Desert Tan	Tan
Espresso Blend	Brown
Florida Blend	Terra Cotta (alt. Brown)
Gold Dust Blend	Terra Cotta
Khaki Blend	Terra Cotta
Naples Blend	Brown (alt. Terra Cotta)
New Southern Blend	Tan
Paradise Island Tan	Tan
Pinto Blend	Tan
Slate	Black
Spanish Blend	Terra Cotta
Sterling	White
Stone Mountain Blend	Black

ESTATE	
Canyon Clay	Terra Cotta
Coconut	Tan

SAXONY® 900 SPLIT SLATE	
Canyon Clay	Terra Cotta
Cedar Tan	Tan
Coconut	Tan
Lignite	Gray
Natural Gray	Gray
Slate	Gray
Taupe	Gray

VILLA 900	
Arbor Green	White
Arizona Clay Blend	Terra Cotta
Casa Grande Blend	Terra Cotta
Espresso Blend	Brown
Gold Dust Blend	Terra Cotta
Mission Sunset	Terra Cotta
South Beach Blend	Tan
Sterling	White
White	White

SAXONY® 900 SLATE	
Beach Blonde Blend	Brown (alt. Tan)
Brown Sugar	Brown
Buckskin	Brown (alt. Tan)
Cafe Sand Blend	Brown
Chestnut Burnt	Brown
Dark Charcoal Blend	Black
Espresso Blend	Brown
Florida Blend	Brown (alt. Tan)
Mottled White Blend	White
Sedona	White
Slate	Gray
Sterling	White
Stone Mountain Blend	Black
Weathered Ash	Black
White	White

Tan	White
Terra Cotta	Gray
Brown	Black

WestlakeRoyalRoofing.com - Imagine the Possibilities.

Visualize

Picture your new roof with Newpoint™ Concrete Roof Tile Inspiration house photo gallery on our website.

Design your home with your dream roof by using our [Dream Home Visualizer](#). Upload your house image or use gallery images and the tool will auto-generate a rendering which you can use to try out different products in the design phase. Order Product Samples directly through the tool.

Order A Sample

Deciding on the perfect roof can be overwhelming. So, instead of wondering what color or style will work, order a sample and take the guesswork out of your decision. It's just another way Newpoint™ Concrete Roof Tile makes it easy to buy with confidence.

Architectural Tools

Our complete suite of architectural tools, including Arcat 3-Part Specs and CAD/BIM drawings, are available for download directly from our website.

Online Ordering

Manage your orders through myWestlakeRoyal, a simple online tool to track product orders in real time, all from the convenience of your computer, tablet or smartphone. Sign-up for e-mail alerts to notify you of your order status.

Limited Lifetime Warranty*

As a brand you can trust, Newpoint™ Concrete Roof Tile offers one of the most comprehensive, fully transferable roofing warranties available on the market today.

Follow Us On Social Media

See what everyone loves about Newpoint™ Concrete Roof Tile and get inspired on: Facebook, LinkedIn, YouTube, HOUZZ, Pinterest and Instagram.



Code Approval: Some approvals are regional and only apply to locally produced products; please contact Newpoint™ before transporting product across state lines. Specifically, products used in the Miami Dade County region of Florida require special testing and recognition. All tiles have systems that are Class A fire rated.

Disclaimer: The printed colors shown in this brochure may vary from actual available tile colors. Before making a final selection, be sure to review actual tile samples and roof installations. Please contact your local sales office for further assistance. Inadvertent errors in this publication are subject to change without notice. No performance guarantee is offered or implied beyond that expressly indicated.

Efflorescence is a temporary surface condition which is common to all concrete products. The process is caused by the chemical nature of cement. This reaction can appear as an overall chalky white bloom (a softening of color) or in more concentrated patches. It is difficult to predict how long the effects of efflorescence will last. It depends on the type and amount of deposit as well as local weather conditions. The action of carbon dioxide and rainwater will gradually remove the deposit, in most cases, leaving the original color of the roof intact without further efflorescence occurring. It is superficial and in no way affects the quality or functional properties of the tile.

Installation: According to the Tile Roofing Institute loading guidelines, "To achieve a pleasant, random blend of color for your job, care should be taken upon loading to mix the tiles." (Source: 2015 Concrete and Clay Roof Tile Installation Manual). Please consult the Tile Roofing Institute (TRI) Installation guides for application recommendations.