

STANDARD COLORS

DESERT SPICE BLEND 1HBCS6313



BARBADOS BLEND 1HBCS6423



GOLD DUST BLEND

1HBCS7205



CASA GRANDE BLEND 1HBCS6144



CRRC 0942-0014 / Ref:.23 / Emit:.91 / SRI:23 / Aged SRI:24

AVALON BEACH BLEND

1HBCS6259



NAPLES BLEND 1HBCS3490



Made to Order

STANDARD COLORS

PARADISE ISLAND TAN 1HBCS0084



NEW SOUTHERN BLEND 1HBCS0100



Made to Order

STERLING

1HBCS5759

CRRC ID: 0942-0194 / Ref: .21 / Emit: .92 / SRI: 21

KHAKI BLEND



1HBCS3903

FLORIDA BLEND



CANYON DUSK BLEND 1HBCS0025



Made to Order

CHESTNUT BURNT



ESPRESSO BLEND 1HBCS3260



BUCKSKIN 1HBCS0141



Made to Order CRRC 0942-0009 / Ref:.22 / Emit:.90 / SRI:22 / Aged SRI:24

STANDARD COLORS

STONE MOUNTAIN BLEND

1HBCS5354



Made to Order

CRRC 0942-0047 / Ref:.17 / Emit:.90 / SRI:15 Aged SRI: 23

SLATE Black Antique 1HBCS5202



Stock

COLOR COAT COLORS \$ 185.30/sq

SPANISH BLEND COLOR COAT* 1HBSS6789



Ref:33 / Emit:.90 / SRI:36 / Aged SRI:43

PINTO BLEND COLOR COAT* 1HBSS0689



Made to Order CRRC 0942-0030 / Ref:.27 / Emit:.91 / SRI:28 / Aged SRI:33


BURNT MISSION COLOR COAT* 1HBSS7117



Made to Order

*Color Coat products are available in Florida only.





STANDARD COLORS

ARIZONA CLAY BLEND 1MPCS7049





CASA GRANDE BLEND

1MPCS6144

1MPCS5759

STERLING



Made to Order

PREMIUM COLOR

GOLD DUST BLEND

Made to Order







ARBOR GREEN 1MPCS4590



COLOR COAT COLORS





Made to Order CRRC 0942-0027 / Ref:.75 / Emit:.91 / SRI: 92 / Aged SRI: 88

\$ 185.30/sq

SOUTH BEACH BLEND COLOR COAT*



1MPSS6842

MISSION SUNSET COLOR COAT*



CRRC 0942-0035 / Ref:.46 / Emit:.91 / SRI:53 / Aged SRI:54



ESTATE



STANDARD COLORS

COCONUT White Antique 1GOCS0307BU



22


Made to Order

Made to Order

CANYON CLAY



Made to Order



SAXONY® 900 Slate \$123.25/sq



STANDARD COLORS

FLORIDA BLEND 1FMCS3903



CAFE SAND BLEND 1FMCS3360



WEATHERED ASH



LAKE WALES PROFILE

SEDONA 1FMCS7143



BUCKSKIN 1FMCS0141



1FMCS57590


STERLING



CRRC 0942-0194 / Ref:.21 / Emit:.92 / SRI:21 CRRC 0942-0009 / Ref:.22 / Emit:.90 / SRI:22 / Aged SRI:24

CHESTNUT BURNT

1FMCS3242O



ESPRESSO BLEND



STONE MOUNTAIN BLEND 1FMCS53540

OKEECHOBEE PROFILE CRRC 0942-0047 / Ref:.17 / Emit:.90 / SRI:15 / Aged SRI:23

OKEECHOBEE PROFILE Stock


SAXONY® 900 Slate \$123.25/sq

STANDARD COLORS SLATE

Black Antique



DARK CHARCOAL BLEND



COLOR COAT COLOR \$ 185.30

WHITE COLOR COAT* 1FMBS80010



OKEECHOBEE PROFILE Stock CRRC 0942-0027 / Ref:.75 / Emit:.91 / SRI:91 / Aged SRI: 88

PREMIUM COLORS \$ 128.35/sq

MOTTLED WHITE BLEND 1FMWS8010



BEACH BLONDE BLEND 1FMWS3350



BROWN SUGAR Black Antique



LAKE WALES PROFILE Made to Order

OKEECHOBEE PROFILE

1FMCS3425AA







SAXONY® 900 Split Slate \$123.25/sq



STANDARD COLORS COCONUT **TAUPE NATURAL GRAY** White Antique 1FCCS0307BU Black Antique 1FCCS5164AA White Antique 1FCCS5159BU Made to Order Made to Order Made to Order





Specifications

Finishing Touches

BARCELONA 900	Size	Height	Coverage	Installed Weig	ht / Square	Pieces	/ Pallet	Squares	/ Pallet	Weight	/ Pallet	Approvals	Capri Trim	Barrel	Capri Hip Starter		
	17" x 13"	3-5/8"	At 3" minimum headlap, 85 field tiles will cover approx. 100 square feet of roof area.	Approx: 9	50 lbs.	256		3.01		Approx: 2	2,782 lbs.	FL 7849	17" 10" 1CTCS/1CTSS/1CTBS	9-1/4" 10" 1GRCS	1CHCS/1CHSS/1CHBS		
VILLA 900	Size	Height	Coverage	Installed Weig	ht / Square	Pieces / Pallet		Squares	/ Pallet	Weight	/ Pallet	Approvals	Capri Trim	Barrel	Capri Hip Starter		
	17" x 13"	2-3/16"	At 3" minimum headlap, 85 field tiles will cover approx. 100 square feet of roof area.	Approx: 9	20 lbs.	296		3.	48	Approx: 3	3,498 lbs.	FL 7849	17" 10" 1CTCS/1CTSS/1CTBS	9-1/4" 10" 10"	1CHCS/1CHSS/1CHBS		
ESTATE	Size	Height	Coverage	Installed Weig	ht / Square	Pieces / Pallet		Squares	/ Pallet	Weight	/ Pallet	Approvals	Barrel	Rake	TCHCS/TCHSS/TCHBS		
	16.5" x 13"	2-3/8"	At 3" minimum headlap, 91 field tiles will cover approx. 100 square feet of roof area.	Approx: 8		240		2.63		Approx: 2		MANIOADE COUNTY) PLANE FL 7849	9-1/4* 10° 10°	1GUCS			
SAXONY° 900 SLATE	Size	Height	Coverage	Installed Weig	ht / Square Lake Wales	Pieces of the Pi	/ Pallet Lake Wales	Squares		Weight Okeechobee	/ Pallet	Approvals	90 Rake	Rake	3-Sided Ridge	V-Ridge	3-Sided Hip Starter
	17" x 13"	1-5/32"	At 3" minimum headlap, 85 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,073 lbs.	Approx: 950 lbs.	210	288	2.47	3.39	Approx:	Approx: 3,490 lbs.	FL 7849	1R9CS/1R9BS	1GUCS	17" 10-1/2"	1GVCS	16" 10-3/4"
SAXONY° 900 SPLIT SLATE	Size		Coverage	Installed Weig	ht / Square	Pieces	/ Pallet	Squares	/ Pallet	Weight	/ Pallet	Approvals	90 Rake	Rake	3-Sided Ridge	V-Ridge	3-Sided Hip Starter
	17" x 13"	1-5/32"	At 3" minimum headlap, 85 field tiles will cover approx. 100 square feet of roof area.	Appro 1,073	ox: lbs.	210		2.	.47	Approx: 2	2,566 lbs.	MANIDADE COUNTY PLEASE FL 7849	1R9CS	1GUCS	17" 10-1/2" 1R3CS	1GVCS	1FHCS
MADERA 900	Size	Height	Coverage	Installed Weig	ht / Square	Pieces / Pallet		Squares	/ Pallet	Weight	/ Pallet	Approvals	90 Rake	V-Ridge	Tapered Eave Starter		
	13-1/2" x 13"	7/8"	At 3-1/2" minimum headlap, 120 field tiles will cover approx. 100 square feet of roof area.	Approx: 9	50 lbs.	360			3	Approx: 3		FL 7849	14-1/4" g ⁴	14-1/4" 12-3/4"	1CECL		

36

Suggested Eave Metal Colors

BARCEL	ONA 900				
Avalon Beach Blend	Terra Cotta (alt. Tan)				
Barbados Blend	Terra Cotta (alt. Tan)				
Buckskin	Brown (alt. Tan)				
Burnt Mission	Terra Cotta				
Canyon Dusk Blend	Tan				
Casa Grande Blend	Terra Cotta				
Chestnut Burnt	Brown				
Desert Spice Blend	Terra Cotta				
Desert Tan	Tan				
Espresso Blend	Brown				
Florida Blend	Terra Cotta (alt. Brown)				
Gold Dust Blend	Terra Cotta				
Khaki Blend	Terra Cotta				
Naples Blend	Brown (alt. Terra Cotta)				
New Southern Blend	Tan				
Paradise Island Tan	Tan				
Pinto Blend	Tan				
Slate	Black				
Spanish Blend	Terra Cotta				
Sterling	White				
Stone Mountain Blend	Black				

ESTATE					
Canyon Clay	Terra Cotta				
Coconut	Tan				

SAXONY [®] 900 SPLIT SLATE					
Canyon Clay	Terra Cotta				
Cedar Tan	Tan				
Coconut	Tan				
Lignite	Gray				
Natural Gray	Gray				
Slate	Gray				
Taupe	Gray				

VILLA 900				
Arbor Green	White			
Arizona Clay Blend	Terra Cotta			
Casa Grande Blend	Terra Cotta			
Espresso Blend	Brown			
Gold Dust Blend	Terra Cotta			
Mission Sunset	Terra Cotta			
South Beach Blend	Tan			
Sterling	White			
White	White			

SAXONY®	900 SLATE			
Beach Blonde Blend	Brown (alt. Tan)			
Brown Sugar	Brown			
Buckskin	Brown (alt. Tan)			
Cafe Sand Blend	Brown			
Chestnut Burnt	Brown			
Dark Charcoal Blend	Black			
Espresso Blend	Brown			
Florida Blend	Brown (alt. Tan)			
Mottled White Blend	White			
Sedona	White			
Slate	Gray			
Sterling	White			
Stone Mountain Blend	Black			
Weathered Ash	Black			
White	White			

Tan	White				
Terra Cotta	Gray				
Brown	Black				

WestlakeRoyalRoofing.com - Imagine the Possibilities.

Visualize

Picture your new roof with Newpoint[™] Concrete Roof Tile Inspiration house photo gallery on our website.

Design your home with your dream roof by using our **Dream Home**Visualizer. Upload your house image or use gallery images and the tool will auto-generate a rendering which you can use to try out different products in the design phase. Order Product Samples directly through the tool.

Order A Sample

Deciding on the perfect roof can be overwhelming. So, instead of wondering what color or style will work, order a sample and take the guesswork out of your decision. It's just another way Newpoint $^{\text{\tiny{M}}}$ Concrete Roof Tile makes it easy to buy with confidence.

Architectural Tools

Our complete suite of architectural tools, including Arcat 3-Part Specs and CAD/BIM drawings, are available for download directly from our website.

Online Ordering

Manage your orders through myWestlakeRoyal, a simple online tool to track product orders in real time, all from the convenience of your computer, tablet or smartphone. Sign-up for e-mail alerts to notify you of your order status.

Limited Lifetime Warranty*

As a brand you can trust, Newpoint™ Concrete Roof Tile offers one of the most comprehensive, fully transferable roofing warranties available on the market today.

Follow Us On Social Media

See what everyone loves about Newpoint™ Concrete Roof Tile and get inspired on: Facebook, LinkedIn, YouTube, HOUZZ, Pinterest and Instagram.
































Code Approval: Some approvals are regional and only apply to locally produced products; please contact Newpoint™ before transporting product across state lines. Specifically, products used in the Miami Dade County region of Florida require special testing and recognition. All tiles have systems that are Class A fire rated.

Disclaimer: The printed colors shown in this brochure may vary from actual available tile colors. Before making a final selection, be sure to review actual tile samples and roof installations. Please contact your local sales office for further assistance. Inadvertent errors in this publication are subject to change without notice. No performance guarantee is offered or implied beyond that expressly indicated.

Efflorescence is a temporary surface condition which is common to all concrete products. The process is caused by the chemical nature of cement. This reaction can appear as an overall chalky white bloom (a softening of color) or in more concentrated patches. It is difficult to predict how long the effects of efflorescence will last. It depends on the type and amount of deposit as well as local weather conditions. The action of carbon dioxide and rainwater will gradually remove the deposit, in most cases, leaving the original color of the roof intact without further efflorescence occurring. It is superficial and in no way affects the quality or functional properties of the tile.

Installation: According to the Tile Roofing Institute loading guidelines, "To achieve a pleasant, random blend of color for your job, care should be taken upon loading to mix the tiles." (Source: 2015 Concrete and Clay Roof Tile Installation Manual). Please consult the Tile Roofing Institute (TRI) Installation guides for application recommendations.